

Odabrani referentni objekti Austrotherm d.o.o. (period 2006 - 2020)

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Rekonstrukcija raskrsnice "Rotor Remenec" Raskrsnica jadranska avenija - Avenija Dubrovnik Zagreb, Hrvatska	2020.		XPS 70: 14.000m ² , d= 5cm (zaštita hidroizolacije podvožnjaka)
Poslovni objekat "Grand Park Hotel" Rovinj, Hrvatska	2020.		XPS 30: d=4cm, 5cm, 8cm i 12cm (horizontalna i vertikalna izolacija) XPS P: d=5cm i 10cm (izolacija tri bazena) XPS 50: d=5cm i 6cm (ravan, ozelenjen krov)
Palata pravde Savska ulica 17a, Beograd	2020.		XPS 30: 1.500m ³ , d= 22cm (ravan krov) d= 10 +12 cm
Poslovni objekat "Green heart" Blok 41, Novi Beograd	2020.	EPS A 120: 1.000m ³ , d=2cm-24cm (terase i ravni krovovi sa formiranjem krovnog nagiba)	XPS 30: 100m ³ , d= 10cm (ravan krov)
Poslovni objekat "Ada Mall Shopping Centar" Radnička ulica, Beograd	2019.		XPS 30: 2.150m ³ , d= 12cm (podovi, krovne terase, delovi ravnog krova)
Stambeno-poslovni objekat "Metalac" Kneza Aleksandra 212, Gornji Milanovac	2019.	EPS A150: 650m ² , d=10cm (ravan krov)	XPS 30: 80m ³ , d= 10cm (ravan krov)
Crkva Svetog Arhanđela - mali saborni hram u okviru Saborne crkve, Prijezdina 7, Niš	2019.	PPG: 300m ² , postavljanje podnog grejanja	
Stambeni objekat sa 6 stambenih jedinica Jevrema Grujića 24, Beograd	2019.		XPS 30: 155m ³ , d=10cm (ravan krov) XPS 30: 155m ³ , d=16cm (ravan krov) XPS Premium: 40m ³ , d=3cm (delovi fasade i grede)
Stambeno-poslovni objekat "Sunnyville", Mirka Milojkovića 31, Beograd	2018.	EPS A 100: 400m ³ , d=2cm - 3cm (podovi)	XPS 30: 200m ³ , d=3cm (podovi) XPS 30: 50m ³ , d= 6cm (terase) XPS 30: 150cm ³ , d=10cm (sokle i krov)

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Stambeno-poslovni objekat "Beograd na vodi" Beograd	-		XPS 30: 474m ³ , d= 3cm (ispod košuljica, u podovima)
Hotel "Hilton", ugao Kralja Milana i Kralja Milutina, Beograd	2018		XPS 30: 800m ³ , d= 3cm-12cm (ravan krov i podovi)
Shipping centar Rajiceva, Knez Mihailova ulica, Beograd		EPS AF granule: 6t (u ravnujućim slojevima) EPS A120: 600m ³ , d=30cm (ravan krov)	XPS 30: 1.000m ³ , d= 23cm (ravan krov)
Gradska bolnica, KBC Zvezdara, Dimitrija Tucovića 161, Beograd	2018	EPS A 150: 1.600m ² , d=10cm (ravan krov)	
Prekršajni sud Ustanička ulica, Beograd	2018	EPS A 150: 4.000m ² , d=10cm (ravan krov)	
Objekat VTI, zgrada Sudova, Katanićeva ulica, Beograd	2018		XPS 30: 600m ³ , d=2cm,5cm i 10cm (ravan krov i podovi) XPS 50: 200m ³ , d=10cm (ravan krov i podovi)
Shopping mall "Big fashion" Višnjička 84, Beograd	2018		XPS 30: 1.100m ³ , d= 3cm-12cm (krovno parkiralište, sokla, podrumski zidovi)
Rezidencijelni objekat, Ulica Heroja Milana Tepića, Beograd (Dedinje)	2018		XPS 30: 250m ³ , d= 5cm-10cm (sendvič zid)
Stambeno-poslovni objekat, Milenka Vesnić 8, Beograd (Dedinje)	2018		XPS Premium: 30m ³ , d=5cm-10cm (ravan krov) XPS 30: 50m ³ , d=5cm-16cm (ravan krov i unutrašnji radovi)
Kazneno-popravni dom, Pančevo	2017		XPS 30: 5.000m ³ , d= 6cm-12cm (ravan krov , podovi , sokle)
Rezidencijalni objekat visoke klase Puškinova ulica, Beograd	2017	EPS T650: 2.000m ² , d =3cm (podovi) EPS A150: 3.500m ² , d=30cm (ravan krov)	XPS 30: 400m ³ , d= 3cm-10cm (ravan krov, podrumski zidovi)
Posl. kompleks GTC, blok 41, "FORTY ONE" Milutina Milankovića , N. Beograd	2017	EPS T650: 40.000m ² , d=3cm (međuspr. ploča)	XPS 30: 30 000m ² , d=30cm (ravan krov) XPS 50: 1.000m ² , d=5cm (ravan krov) XPS 70: 500m ² , d=5cm (ravan krov)
Stambeno-poslovni objekat, ugao Madridske ulice i Bulevara Kralja Aleksandra, Beograd	2017	EPS AF: 2.500m ² , d=15cm (sa kanelurama namenjenim za lepljenje liseta = imitacija fasadne cigle)	
Stambeno-poslovni objekat Boška Strugara bb, Ulcinj, Crna Gora	2016	EPS AF: 2.000m ² d=10cm (fasada)	

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Hotel "Sport Silver lake", Beli bagrem bb, Srebarno jezero	2016	EPS AF: 2.500m ² , d=10cm (fasada) EPS granule: 5t (laki beton na ravnom krovu)	
Shopping centra "Rajićeva" Knez Mihailova 54, Beograd	2016	EPS A120: 3.850m ³ , d=10cm (ravan krov) EPS granule: 5t (laki beton na ravnom krovu)	XPS 30: 10.000m ² , d=23cm (ravan krov)
Prekršajni sud Ustanička ulica, Beograd	2016	EPS A150: 4.000m ² , d=10cm (ravan krov)	
Vrtić "Leptirić" naselje Stepa Stepanović, Generala Štefanika 5, Beograd	2015	EPS A 120: 1.500m ² , d=30cm-50cm (ravan krov)	
Energetska sanacija škola u Crnoj Gori 4 osnovne škole, 1 srednja škola i studentski dom	2015	EPS AF: d=10cm-15cm (fasada 10.000m ² , svake godine, u nizu od 3 godine) EPS A100: d=8cm (nagib na konstrukcijama ravnih krovova)	XPS P: 4.800m ² , d=5cm (sokle)
Hotel "Regent Porto Montenegro" Obala bb, Tivat, Crna Gora	2015	EPS A 100: 100m ³ , d=6cm-10cm (podovi) EPS A120: 100m ³ d=8cm (terase)	XPS 30: 300m ³ , d=5cm-10cm (ravan krov i terase)
Stambeni blok Železnička ulica, Beograd (Zemun)	2015	EPS A 120: 1.400m ² , d=15cm (fasada objekta)	
Stambeno-poslovni kompleks, "Zagorčić" Crna Gora, II Crnogorskog bataljona, Podgorica	2013	EPS AF: 4.000m ² , d=10cm (fasada) EPS T 650: 3.500m ² , d=2cm (podovi)	XPS 30: 1.000m ² , d=5cm (sokle, temelj, krov)
Stambeno-poslovni kompleks, firma PEJAK HANDEL, Ulica M.Tita 146, Banja Koviljača	2013	EPS AF: 4.500m ² , d=5cm-10cm (preko termo bloka) EPS A100: 2.000m ² , d=5cm (u podovima objekta) EPS A120: 1.800m ² , d=5cm (u podovima)	XPS 30: 1.000m ² , d=5cm (sokle) XPS 30: 600m ² , d=3cm (plafon)
Stambeno-poslovni objekat "Dunavske terase" Vojvode Micka Krstića 1, Beograd	2014	EPS AF PLUS: 50.000m ² d=10cm (fasada) EPS A150: 1.600m ² d=14cm (garažni krov)	XPS 30: 2.500m ² , d=4cm-6cm (ravan krov) XPS 30: 1.500m ² , d=5cm (podrumski zidovi i sokle)
Stambeno-poslovni objekat "Alpha city" Živka Davidovića, Beograd	2013	EPS AF PLUS: 2.246m ² d=8cm-10cm (sendvič zidovi) EPS A150: 5.820m ² , d=1cm-10cm (u podovima objekta)	XPS 30: 2.355m ² , d=10cm (ravan krov) XPS 30: 102m ² , d=5cm (terase) XPS 30: 504m ² , d=3cm (podovi) XPS 30: 1.305m ² , d=2cm (podovi)

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Hram Svetog Save Katanićeva bb, Beograd	2013	EPS A150: 1.600m ² , d=14cm (garažni krov) 532 table (1000cm x 500cm), d=2cm-10cm (na dilatacijama lukova)	XPS 30: 46m ³ (ispod poda kripote) XPS 30: 2.000m ² , d=10 (ravan krov, krovne bašte)
Stambeno poslovni objekat "WEST 65" Omladinskih brigada 86, Novi Beograd	2012	EPS A100: 8.700m ² , d=5cm (podovi) EPS A120: 1.000m ² d=12cm-20cm (podovi) EPS A150: 1.600m ² d=14cm (garažni krov) EPS AF PLUS: 6.000m ² , d=12cm (pozicija) EPS AF: 1.000m ² , d=2cm-4cm (terase oblaganje) EPS A30: granule 40m ³ , (podovi)	XPS 30: 1.600m ² d=2cm-12cm (podovi terase) XPS 30: 2.000m ² , d=10 (ravan krov, krovne bašte)
Stadion "FK Voždovac" Zaplanjska 32, Beograd	2012	A 30 EPS granuile, 1,400m ³ (laki beton) EPS A 100: 771m ³ , d=7cm-10cm (ravan krov)	
Stambeno-poslovni objekat "Stepa Stepanović" Generala Štefanika 5, Beograd	2012	EPS A 100: d= 3cm, 400m ³ (podovi)	XPS 30: 1.500m ² d=30cm (ravan krov) XPS 30: 1.600m ² , d=12cm-15cm (zidovi u zemlji i podovi) XPS 30: 800m ² , d=10cm (zidovi na tavanu)
Poslovno-hotelski objekat "Falkensteiner", Bul. Mihaila Pupina 10/k, N. Beograd	2012	EPS T 650: 22.000m ² , d=2cm-4cm (u "košuljicama")	
Poslovni objekat "Raiffeisen bank" Bulevar Zorana Đinđića, Novi Beograd	2011		XPS 30: 900m ² d=6cm (perimetarna izolacija) XPS 30: 700m ² , d=5cm (podrumska ploča) XPS 30: 1.200m ² , d=15cm (10+5) (ravan krov) XPS P: 200m ² , d=10cm (ravan krov)
Poslovni objekat "Blue centar" Španskih boraca 3, Novi Beograd	2010		XPS 30: 4.590m ² d=od 10 do 12cm (inverzni krov) XPS 30: 460m ² , d=12cm (prohodne terase) XPS 30: 4.925m ² , d=6cm (ploča prizemlja) XPS 30: 655m ² , d=8cm (tehničke etaže)
Poslovni objekat "Vig plaza" Ulica Trešnjinog cveta, blok 11, Novi Beograd	2010		XPS 30: 1.150m ² d=16cm (inverzni krov) XPS 30: 200m ² , d=5cm (parapete) XPS 30: 636m ² , d=10cm (podovi garažnih nivoa) XPS 30: 150m ² , d=5cm (temelji)

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Sanacija klizišta - niskogradnja Magistralni put Valjevo-Užice (zaobilaznica oko Valjeva, magistr. M21)	2010	EPS A 150: 1.015,43m ³ - 416 blokova	
Poslovni objekat "GTC", Bul. Mil. Milankovića 11, N. Beograd	2008		XPS 30: 4.000m ² , d=12cm (6+6) (ravan krov) XPS 30 P: 850m ² , d=8cm (ravan krov)
Stambeno poslovni objekat "Savograd" Milentija Popovića 5a, Beograd	2008		XPS 30: 8.200m ² , d=3cm-15cm (5+5+5) (ravan krov, podrumski zidovi) XPS 30 P: 1.000m ² , d=2cm (zaštita temeljne jame)
Stambeno poslovni objekat GTC Park Apartmani Milutina Milankovića 9đ, Novi Beograd	2008		XPS 30: 5.000m ² , d=12cm (6+6)
Stambeno poslovni objekat "Bellville" Jurija Gagarina bb, blok 67, Novi Beograd	2008		XPS 30: 6.000m ² d=5cm (fasada i terase) XPS 30: 6.000m ² , d=3cm (zidovi hodnika) XPS 30: 9.000m ² , d=8cm (5+3) (oko betonskih jezgara) XPS 30: 900m ² , d=8cm (5+3) (poslednja etaža fasada)
Poslovni objekat "Belgrade office park" II Đorđa Stanojevića 12, Novi Beograd	2008		XPS 30: 2.500m ² , d=14cm (ravan krov)
Planinske vile apartmanskog tipa Crna Gora, Žabljak	2008	EPS AF PLUS: 1.800m ² , d=10cm EPS AF PLUS: 300m ³ , (fasada i kosi krov) EPS A30: 800m ² d=5cm (unutrašnji zidovi)	XPS 30: 1.000m ² d=5cm (kamen na fasadi sokle) XPS 30: 1.000m ² , d=5cm (podrumski zidovi u zemlji)
Poslovni centar "Ušće" Mihaila Pupina 6, Novi Beograd	2008		XPS 30: 6.000m ² d=5cm (fasada i terase) XPS 30: 25.000m ² , d=10cm (ravan krov) XPS 30: 6.000m ² , d=3cm (zidovi hodnika) XPS 30: 9.000m ² , d=8cm (5+3) (oko betonskih jezgara) XPS 30: 900m ² , d=8cm (5+3) (poslednja etaža fasada)
Poslovno-stambeni objekat Autokomerc Užička ulica, Beograd	2008	EPS AF PLUS: 600m ² , d=15cm (fasada) EPS A120: 400m ² , d=1cm (podovi) EPS A150: 2.000m ² , d=1cm (podovi)	XPS 30: 400m ² , d=10cm (5+5) (u pločama) XPS 30: 600m ² , d=10cm (5+5) (sokle, grede)

Opis građevinskog objekta	završeno	Austrotherm EPS®	Austrotherm XPS®
Poslovno-stambeni objekta Igmanska 10, Beograd	2008	EPS AF PLUS: 1.400m ² , d=8cm (fasada)	XPS 30: 300m ² , d=8cm (u armiranim betonskim pločama)
Poslovni objekat "ZIRA" Ruzveltova 33, Novi Beograd	2008		XPS 30: 1.000m ² , d=15cm(10+5) (bočni fasadni zid) XPS 30: 300m ² , d=10cm (fasadni zidovi) XPS 30: 320m ² , d=5cm (ograde terase)
Poslovni objekat "AIRPORT CITY" Omladinskih brigada 88, Novi Beograd	2007		XPS 30: 1.000m ² d=7cm (5+2) (podovi) XPS 30: 5.500m ² , d=10cm (5+5) (ravan krov) XPS 30: 6.000m ² , d=8cm (5+3) (fasada)
Poslovni objekat "DELTA CITY" Jurija gagarina 16. Novi Beograd	2007		XPS 30: 1.500m ² , d=3cm (fasadni zidovi delovi) XPS 30: 10.000m ² d=10cm (ravan krov)
Tržni centar SHOP SHOP , Bulevar Cara Lazara, Novi Sad	2006		
Servisni centar "Ford-Volvo" Milutina Milankovića 21, Novi Beograd	2006		XPS 30: 2.100m ² , d=6cm (ravan krov)
Poslovni objekat "Belgrade office park" Đorđa Stanojevića 12, Novi Beograd	2006		XPS 30: 5.000m ² , d=2cm-14cm (ravan krov)
Naselje "Reva 2" Dunavski cvet-naselje Reva 2, Blok 10, Krnjača	2006	EPS AF: 60.000m ² , d=8cm (fasada)	